

Scientists Against Vaccines – Hear From Those Who Have Done the Research

The vaccine debate is a debate that has been framed by the mainstream media as a debate between parents and doctors. It's much more than that. It is an ongoing debate among scientists. There are a number of scientists who are against vaccines, others who are against the current vaccine combinations, and others against the current vaccine schedule.

Harris L. Coulter, PhD

Harris Coulter is a medical historian and scientist. He has completed extensive research in homeopathic medicine and he is considered the leading homeopathic historian of the late 20th century. Coulter's work details the schism in medicine since the time of Hippocrates to the present. His four-volume work *Divided Legacy: A History Of the Schism in Medical Thought* has detailed two opposing schools of medicine. Coulter documents the suppression of homeopathy by allopathic medicine. His dissertation is titled *Political and Social Aspects of Nineteenth-Century Medicine in the United States: The Formation of the American Medical Association and its Struggle with the Homeopathic and Eclectic Physicians*.

Coulter has also done research on cancer and the dangers of vaccines. He co-authored the books *DPT Shot in the Dark* and *Vaccination, Social Violence and Criminality* with Barbara Loe Fisher. Coulter has also served on several medical advisory panels and boards.

Coulter is also an accomplished linguist fluent in German, French, Spanish, Latin, Russian, Hungarian, and Serbo-

Croatian.

Probably 20% of American children-one youngster in five-suffers from 'development disability'. This is a stupefying figure. We have inflicted it on ourselves.. "development disabilities" are nearly always generated by encephalitis. And the primary cause of encephalitis in the USA and other industrialised countries is the childhood vaccination program. To be specific, a large proportion of the millions of US children and adults suffering from autism, seizures, mental retardation, hyperactivity, dyslexia, and other shoots or branches of the hydraheaded entity called "development disabilities", owe their disorders to one or another of the vaccines against childhood diseases.

Society today is paying a heavy price in disease and death for the monopoly granted the medical profession in the 1920's. In fact, the situation peculiarly resembles that of the 1830s when physicians relied on bloodletting, mercurial medicines, and quinine, even though knowing them to be intrinsically harmful. And precisely the same arguments were made in defense of these medicines as are employed today, namely, that **the benefits outweigh the risks. In truth, the benefits accrue to the physician, while the patient runs the risks.**

"Crib death" was so infrequent in the pre-vaccination era that it was not even mentioned in the statistics, but it started to climb in the 1950s with the spread of mass vaccination against diseases of childhood. It became a matter of public and professional concern and even acquired a new name, "sudden infant death of unknown origin, ." or, for short, SIDS. This name is significant, in the light of subsequent controversies, since "of unknown origin" means exactly that. So, when the medical establishment assures us that SIDS is unrelated to vaccinations, the obvious response is, How do you know?, if it is defined as "of unknown origin"? At this (as with most common-sense questions about vaccinations) the medical establishment prefers to retire from the debate in dignified

silence.

So we have witnessed a steady rise in the incidence of SIDS, closely following the growth in childhood vaccinations. But information on the progress of this epidemic has been radically suppressed in the official literature. Whereas in earlier decades – up to the end of the 1950s – the medical establishment could recognize the fact of death after vaccination, more recently, as the official position has hardened, the earlier concessions have been withdrawn, and vaccinations of all kinds are now declared absolutely safe at all times and in all places. This has required some fancy footwork with the epidemiologic statistics, as we will see below. And since no physician or scientist with a normal IQ could really believe this “epidemiology,” one is forced to conclude that the medical establishment, in its wisdom, has decided that 7000-8000 cases of crib death every year are a reasonable price to pay for a nice steady flow of vaccines with all their concomitant benefits for the public health (except, of course, for these same 7000-8000 babies each year who have already enjoyed all the possible advantages of childhood vaccines).

After all, they say to themselves, you can't make an omelette without breaking eggs. But the eggs being broken are small, helpless, and innocent babies, while the omelette is being enjoyed by the pediatricians and vaccine manufacturers. Death after whooping-cough vaccination was first described by a Danish physician in 1933. Two Americans in 1946 described the deaths of identical twins within 24 hours of a DPT shot (on the background and history of SIDS see H. Coulter and B. Fisher, *DPT: A Shot in the Dark*). E. M. Taylor and J. L. Emery in 1982 wrote: “...we cannot exclude the possibility of recent immunization being one of several contributory factors in an occasional unexpected infant death.” But the early 1980s were a turning-point in the official line. In that same year of 1982 matters came to a crisis when William C. Torch, M.D.,

Director of Child Neurology, Department of Pediatrics, University of Nevada School of Medicine, at the 34th Annual Meeting of the American Academy of Pediatrics, presented a study linking the DPT shot with SIDS. Torch concluded: "These data show that DPT vaccination may be a generally unrecognized major cause of sudden infant and early childhood death, and that the risks of immunization may outweigh its potential benefits. A need for reevaluation and possible modification of current vaccination procedures is indicated by this study.

Dr. Boyd Haley

Boyd Haley is a Professor of Chemistry at the University of Kentucky. He is an experienced biochemist and researcher. He is also the co-founder and scientific advisor of Affinity Labeling Technologies, Inc. a biotech company that specializes in nucleotide photoaffinity analogs for biomedical research. In addition, Dr. Haley is a member of the Autism Think Tank of the Autism Association and he is on the board of the Swedish Foundation for Metal Biology.

Dr. Haley has also pioneered a diagnostic marker for Alzheimer's disease that is currently being developed by others. Dr. Haley has testified before several different government agencies on the effects of mercury toxicity from both dental amalgams and vaccines. Haley is not in favor of using mercury in medicine at all.

Dr. Haley's research has led him to take a professional stance against mercury and thimerosal in vaccines. For many years, Haley has studied the biochemistry of Alzheimer's disease. This research prompted him to identify mercury toxicity as a major contributing factor, and possibly a causal factor in developing Alzheimer's.

Dr. Haley was the first scientist to argue that the preservative thimerosal widely used in vaccines was the most likely environmental toxin contributing to our rising rates of

autism. Haley has even followed that research with additional work that demonstrates that several substances such as some antibiotics, and the hormone testosterone, actually increase the toxicity of thimerosal; a concept known as synergistic toxicity. In addition, while in collaboration with others, he has shown that mercury analysis of birth-hair reveals that autistics represent a genetic subset of the population who cannot effectively excrete mercury.

Dr. Haley has challenged vaccine advocate Paul Offit M.D. to numerous public debates about vaccines. Dr. Offit has always turned him down. Dr. Haley is also an outspoken critic of a great deal of the vaccine research that is funded by the pharmaceutical industries, calling much of it fraudulent.

Dr. Haley has testified before numerous government agencies on the effects of mercury toxicity from dental amalgams and vaccines. He has testified twice before congress and before the legislative committees of Maine and New Hampshire. He has testified before countless other government bodies. He also gives lectures on mercury toxicity and neurological diseases in conferences all over the world.

We should all consider that there are two top priorities in the vaccine/autism issue every American should be concerned with. We need to develop a safe vaccination program, and we need to find the cause of autism and eliminate it if possible. I have been a strong proponent of investigating thimerosal as the casual agent for autism spectrum disorders based on the biological science that shows thimerosal to be incredibly toxic, especially to infants. I know of nothing remotely as toxic as thimerosal that numerous infants would be exposed to before 3 to 4 years of age.

- 1. Autism was not a known, described illness until about 1941-3, 8 to 10 years after the introduction of thimerosal and similar organic thiol-mercury compounds in biological mixtures used in medicine and other areas.*

This argues against autism being a genetic illness.

- 2. In 1977, 10 of 13 infants treated in a single hospital by topical application of thimerosal for umbilical cord infections died of mercury toxicity. This same topical was used on adolescents without obvious ill effects which strongly supports the concept that infants are very susceptible to thimerosal toxicity.*
- 3. The recent increase (starting about 1990) of autism spectrum disorders correlated well with the advent of the CDC mandated vaccine program, which increased thimerosal exposures with increased vaccinations. Due to its toxicity, thimerosal would have to be suspect for causing autism.*
- 4. As expected by science, extensive searching for a genetic cause of autism has not turned up a significant find that would explain the recent increased rate in autism. The latest genetic find, at best, might explain 0.5% of autism causation. Most agree that a genetic predisposition is likely (like those that lead to low glutathione levels), but that a toxic exposure is absolutely needed. Consider also, that this increased toxic exposure would have had to occur in all 50 states at about the same time as all states have reported similar increases in autism rates. Only something like the government recommended vaccine program fits this need for a time dependent, uniform exposure of a toxin throughout all the states.*

There is no safe level of mercury and no one has actually shown there is a safe level.” – Dr. Friberg MD, Ph.D. Former Head of Toxicology WHO”

Viera Scheibner, PhD

Dr. Viera Scheibner became interested in vaccines in the mid 1980s while studying babies' breathing patterns with her late husband, Leif Karlson, who developed the Cotwatch breathing monitor.

Following vaccinations, babies' breathing patterns often triggered alarms, and indication of stress. This is what prompted her interest in vaccines. She then began extensive research of medical papers dealing with vaccinations. To date, she has collected and studied more than 100,000 pages of medical papers published over the last century. From her research she has concluded that there is no scientific evidence that vaccines are anything other than harmful. She says that vaccines increase susceptibility to the very diseases they are intended to protect against, and they make the recipient more susceptible to disease of all kinds – infectious diseases and the newfound modern ills of childhood such as diabetes, auto-immune diseases, cancers, and developmental disabilities along with other health problems.

Her research into vaccination has produced two books and numerous papers published in a variety of scientific and medical publications. She also conducts frequent international lecture tours to present the results of her research to parents, health and medical professionals, and anyone else who is interested. She has also been an expert witness for court cases relating to deaths and injuries caused by vaccines that are attributed to other causes such as the so-called "shaken baby" syndrome.

It is officially admitted that all cases of polio in the US, since the introduction of the vaccine, are caused by the vaccine. The same has been seen in Australia and other countries like England. So the occurrence of the same phenomenon all around the world would be asking too much of

coincidence.

In the USA in 1978, they mandated vaccination and it resulted in a three fold increase in the reported incidence of whooping cough.

During a 3-year period, November 1964 to December 1967, 124 lots of human kidney cell cultures were examined, and seven viruses (6%) were isolated. These included two measles viruses, two foamy viruses, one reovirus, one adenovirus, and one myxovirus. One measles virus isolation was made from a lot of human kidney cell culture from a 3-year old child who had been exposed to measles and had been given 0.6 ml of gamma globulin at the time of exposure. The child died 2 weeks later. The presence of measles virus in this child's kidney cell culture would not have been recognized if the kidney cell cultures would not have been kept for 33 days after planting. This example illustrates the standing problem in research of not keeping the cultures used for whatever reason for a sufficient period of time. A lot of viruses (and other organisms) and their cytopathic effects simply escape detection. Herpesvirus group viruses were isolated in monkeys of the Old World species represented by herpes B or Herpesvirus simiae produced a naturally occurring mild infection. However, most human cases of B virus infection have been fatal. Hull and Nash (61) showed that 10% of newly caught rhesus monkeys had antibodies to the B virus, and the percentage rose to 60% to 70% when the monkeys were confined in "gang-cages". Other studies indicate that 100% of the experimental monkeys showed B virus antibody rise when the monkeys were housed together over a period of 6 weeks. Vaccine cultured on their kidney were contaminated by all these viruses and then injected into millions of infants all over the world. It is a real horror story. Just how much longer are we going to let the vaccine producers get away with destroying the human immune system and even the genetic code, and literally get away with murder?

Dr. Gerhard Buchwald, MD

Dr. Buchwald is a specialist in internal medicine and lung diseases. For many decades he has relentlessly worked for civil rights in regards to access to vaccine information and freedom of choice regarding vaccines. Dr. Buchwald has given over 500 lectures and has authored more than 200 scientific papers regarding vaccines and the damage caused by vaccines. He has also provided around 150 medical assessments of cases of vaccine damage. He is one of the world's foremost experts on vaccines.

Vaccines have never had the proclaimed preventive effect on infections. The regression of infectious diseases started over 200 years ago, which means long before the introduction of vaccination, and it was due to the improved social conditions of the population: nutrition and hygiene.

Contrarily to general belief, the vaccinations have had a negative influence on the decrease of the infective maladies and mortality. Statistics started off at a period when the infectious diseases were already on the downgrade. Careful studies over a period of many years have revealed that each introduction of a mass vaccination has obtained only one result: the immediate recrudescence of the malady that the vaccine should have prevented, but which it has solicited instead. The temporary but immediate isolation of infected patients has each time proved sufficient to prevent an epidemic.

After every flare-up of an infection due to vaccination, the maladies have resumed the downward course which existed already before the vaccination. In general and over a period of many years, every vaccination has caused more casualties than the infection it was supposed to prevent. This happened for instance with the smallpox vaccination in Germany and many other countries... Vaccines don't protect, but do harm. A

scientific proof of their usefulness has never existed, whereas the severe, sometimes fatal damages they cause are a proven fact.

There is a growing body of scientific research that links vaccines to all kinds of health problems and adverse reactions. Some of these problems include but are not limited to:

- Encephalitis (brain inflammation)
- Unexplained Infant Death (SIDS)
- Autoimmune Disease
- Chronic Illness
- Vaccine Contamination
- Gut-Brain-Immune System Connection and Malfunction
- Vaccine Failure
- Vaccine Disease Transmission
- Paralysis
- Autism and other Neurological Disorders

It is difficult to find objective research that isn't in some way tied to the pharmaceutical industries. When the research is truly independent, a different picture emerges. For instance, many of the studies that "prove" vaccine safety are done with only two groups, those who receive the vaccine and those that receive the placebo. The problem is, the placebos contain all of the toxic ingredients that the vaccines do, only minus the attenuated virus. So still full of toxins like mercury, aluminum, genetically modified yeast, antibiotics, aborted fetus cell lines, etc. So is it any wonder that those who receive the placebo are not any better off than the others in the experiment?

There is a great deal of evidence to prove that immunization of children does more harm than good." – Dr. J. Anthony Morris, Former Chief Vaccine Control Officer and Research Virologist U.S. FDA

Conclusion

Science is ultimately self-correcting, but this self-correction can take some time. When large sums of money are involved, and research is primarily funded by industry, at least for a time it is possible to obscure many of the results. You've probably heard about the thousands of studies "proving vaccine safety". There are enough of these industry-funded studies to fool some of the people, some of the time. It doesn't however fool all of the people all of the time. The greatest lie ever told is that vaccines prevent disease, when in fact they cause many diseases such as autism. No lie can live forever. While the pharma-funded, mainstream media claims the debate is over, these and other scientists are raising the alarm. The debate is far from over, and the dangers of vaccines are becoming better known.

Further Reading:

- *How To Detoxify and Heal From Vaccinations – For Adults and Children*
- *Influenza Vaccine – A Comprehensive Overview of the Potential Dangers and Effectiveness of the Flu Shot*
- *The MMR Vaccine – A Comprehensive Overview Of the Potential Dangers and Effectiveness*
- *How Plumbing, Not Vaccines, Eradicated Disease*
- *Autism and Vaccines: CDC Whistleblower Exposes Vaccine Dangers, Lies, and Cover-ups*

Sources:

- *The Greater Good – TheGreaterGood.org*
- *SIDS and Seizures – Harris L. Coulter PhD*
- *Boyd Haley (Bio) – Educate Before You Vaccinate*
- *Doctors & Scientists Caution Against Dangers of Vaccination – Medicine Kills Millions*
- *Boyd Haley Response to Study Claiming Vaccines Play No Role In Autism – The Educated Parent – A Child's Best*

Advocate

- *Viera Scheibner (Principal Research Scientist – Retired)*
– [Viera Scheibner.com](http://VieraScheibner.com)
- *G Buchwald MD – Vaccine Critics* – Whale
- *Harris L. Coulter, PhD.* – Whale